



NOTES:

- 1. BACKFILLING WITH EXCAVATED MATERIAL SHALL NOT BE PERMITTED IN TRENCHES FOR STORM SEWER AND ALL OTHER UTILITIES.
- $2.\ {\tt TYPE}\ {\tt OF}\ {\tt SEEDING}\ {\tt SHALL}\ {\tt MEET}\ {\tt FREEHOLD}\ {\tt SOIL}\ {\tt CONSERVATION}\ {\tt DISTRICT}\ {\tt REQUIREMENTS}.$
- 3. REINFORCED CONCRETE PIPE REQUIRED WITHIN COUNTY R.O.W.
- 4. IN LIEU OF DENSE GRADED (DGA), RECYCLED CONCRETE AGGREGATE (RCA) IS ACCEPTABLE. ALL RCA MUST MEET NJDOT SPECIFICATIONS AND BE CERTIFIED BY AN NJDOT APPROVED PLANT OF ORIGIN. ALL RCA SHIPMENTS MUST BE FREE OF FOREIGN MATERIALS AND CONTAMINENTS.

	Revisions			IDDLESEX	
Ν	Ο.	DATE	BY		LESEA
	1	1/16/1	9 KP		
	2	10/8/1	9 KP	COU	N T Y + N J
				Department of Transportation • Offi	fice of Engineering / Planning / Public Works
	1				lew Brunswick, NJ 08901
⊢	_				
<u> </u>				STORM SEWER / UTILITY	
<u> </u>	4			,	.,
⊢	_			I KENCH A	AND BEDDING
⊢	4			DETAIL (III)	NPAVED AREA)
_				DETTHE (61	VI II V ED I MELITY
<u> </u>	Designed By				
l L'		- ' +	Drawn By	Scale: Not to Scale Ronald M. Sendner	
_ <u> </u> _	RS Charked Div		EHC	Sheet No. 1 of 1 Date: 4/25/17 Count	
Ľ	Checked By		Approved By		County Engineer
	RS		RS	Date. 7/23/11	N.J. P.E. No. 24GE03162200

Ronald M. Sendner Date Licensed Professional Engineer License No. 24GE03162200